



Reefton Goldfield, New Zealand

Exploration Update – 20 August 2021



Disclaimer and Forward-looking Statements

These presentation materials dated 20 April 2021 and the accompanying verbal presentation (together, the Presentation Materials) have been prepared by Siren Gold Limited ACN 619 211 826 (Company). By receiving the Presentation Materials, you acknowledge and represent to the Company that you have read, understood and accepted the terms of this disclaimer.

It is the responsibility of all recipients of these Presentation Materials to obtain all necessary approvals to receive these Presentation Materials and receipt of the Presentation Materials will be taken by the Company to constitute a representation and warranty that all relevant approvals have been obtained.

NOT AN OFFER

These Presentation Materials are for information purposes only.

The Presentation Materials do not comprise a prospectus, product disclosure statement or other offering document under Australian law (and will not be lodged with the Australian Securities and Investments Commission) or any other law.

The Presentation Materials also do not constitute or form part of any invitation, offer for sale or subscription or any solicitation for any offer to buy or subscribe for any securities nor shall they or any part of them form the basis of or be relied upon in connection therewith or act as any inducement to enter into any contract or commitment with respect to securities. In particular, these Presentation Materials do not constitute an offer to sell or a solicitation to buy, securities in the United States of America.

NOT INVESTMENT ADVICE

The Presentation Materials are not investment or financial product advice (nor tax, accounting or legal advice) and are not intended to be used for the basis of making an investment decision. Recipients should obtain their own advice before making any investment decision.

SUMMARY INFORMATION

The Presentation Materials do not purport to be all inclusive or to contain all information about the Company or any of the assets, current or future, of the Company. The Presentation Materials contain summary information about the Company and its activities which is current as at the date of the Presentation Materials. The information in the Presentation Materials is of a general nature and does not purport to contain all the information which a prospective investor may require in evaluating a possible investment in the Company or that would be required in a prospectus or product disclosure statement or other offering document prepared in accordance with the requirements of Australian law or the laws of any other jurisdiction, including the United States of America.

The Company does not undertake to provide any additional or updated information whether as a result of new information, future events or results or otherwise.

FORWARD LOOKING STATEMENTS

Certain statements contained in the Presentation Materials, including information as to the future financial or operating performance of the Company and its projects, are forward looking statements. Such forward looking statements:

- are necessarily based upon a number of estimates and assumptions that, while considered reasonable by the Company, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies;
- involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward looking statements; and
- may include, among other things, statements regarding estimates and assumptions in respect of prices, costs, results and capital expenditure, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions.

The Company disclaims any intent or obligation to publicly update any forward looking statements, whether as a result of new information, future events or results or otherwise. The words "believe", "expect", "anticipate", "indicate", "contemplate", "target", "plan", "intends", "continue", "budget", "estimate", "may", "will", "schedule" and similar expressions identify forward looking statements. All forward looking statements contained in the Presentation Materials are qualified by the foregoing cautionary statements. Recipients are cautioned that forward looking statements are not guarantees of future performance and accordingly recipients are cautioned not to put undue reliance on forward looking statements due to the inherent uncertainty therein.

NO LIABILITY

The Company has prepared the Presentation Materials based on information available to it at the time of preparation. No representation or warranty, express or implied, is made as to the fairness, accuracy or completeness of the information, opinions and conclusions contained in the Presentation Materials. To the maximum extent permitted by law, the Company, its related bodies corporate (as that term is defined in the Corporations Act 2001 (Commonwealth of Australia)) and the officers, directors, employees, advisers and agents of those entities do not accept any responsibility or liability including, without limitation, any liability arising from fault or negligence on the part of any person, for any loss arising from the use of the Presentation Materials or its contents or otherwise arising in connection with it.



COMPETENT PERSONS STATEMENT

The information contained in this report relating to exploration results relates to information compiled or reviewed by Mr Paul Angus. Mr Angus is a member of the Australasian Institute of Mining and Metallurgy and is a director of and consultant to the Company. Mr Angus has sufficient experience of relevance to the styles of mineralisation and the types of deposit under consideration, and to the activities undertaken to qualify as Competent Persons as defined in the 2012 edition of the JORC "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Angus consents to the inclusion in the Presentation Materials of the matters based on information in the form and context in which it appears. This presentation contains information extracted from the previously released announcements, including the prospectus dated 5/10/2020, and announcements dated 11/11/2020, 23/12/2020, 12/02/2021 and 19/04/2021. These are available to view on the website, www.sirengold.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements.




Reefton Goldfield New Zealand – Originally part of the Lachlan Fold Belt




SIRENGOLD
LIMITED



Reefton Goldfield New Zealand





Historical Gold Production


- Historic Underground production **2Moz @ 16g/t Au**. OGL's Globe open pit produced **700koz** and Federation started developing Blackwater U/G mine expected production **0.7-1.0Moz**. Alluvial gold production estimated at **8Moz**. Historical and near-term production **11.5Moz**.
- Federation Mining developing the Blackwater Reef which extends to 1,500m and open.
- Blackwater and Alexander only two mines with a drillholes below the bottom of the historic mines.
- Very limited drilling generally below 250m.
- Recent drilling by Siren Gold intersected strong mineralisation at 375m at Big River (6.3m @ 3.4g/t Au and 6m @ 4g/t Au (325m) with mineralisation still open at depth.
- Recent drilling by Siren Gold at Alexander intersected 8.5m @ 11g/t Au, 3m @ 10.8g/t Au and 2m @ 26.8g/t Au with mineralisation still open at depth.

Outcropping Mineralisation

- Alexander River
- Big River
- Lyell
- Golden Point
- Auld Creek


Buried Mineralisation


- Reefton South
- Bell Hill
- Waitahu



Alexander River - 1.2km+ long outcropping quartz reef

Produced 41koz at 26.4g/t Au (cut off ~15g/t Au).





Geology


- **1.2km outcropping mineralised zone**, comprising discontinuous quartz reefs surrounded by silicified acicular arsenopyrite mineralised sandstone and siltstone.
- Mineralised zone divided into Bull, Fimiston, McVicar, Bruno, McKay and Loftus prospects.
- The mineralisation's dips to the **SE** between Bulls and Bruno and **NW** between Bruno and Loftus.

Historical Production

- **41koz @ 26.4 g/t Au** recovered grade from the McVicar Mine between 1920 and 1943.
- 1-2m thick SE dipping quartz reef mined to 260m depth in a shallow (25°) ENE plunging shoot that was **mined down plunge for 400m**.
- Only limited mining at the other prospects.

Trenching

- CRAE trenched the outcropping reef between Bulls and Bruno (800m of 1,200m strike) in 1980's which averaged **3.3m @ 9.3g/t Au** at a 3g/t cut-off. The trenches were re-sampled by Kent in 2011 and averaged **3.8m @ 8.0g/t Au**.
- CRAE completed underground sampling of a quartz reef in the Loftus & McKay adits 0.5-1.0m thick ranging from **4 to 57g/t Au**.




Diamond Drilling

- Drilling completed by Macraes Mining Company Limited (MMCL) predecessor to OceanaGold Ltd in the 1990's and Kent Exploration in 2011.
- MMCL refurbished the lowest level (L6) of the **McVicar** mine and drilled three holes from underground. A6-3 intersected a 5m thick quartz reef (**5.4m @ 5.3g/t Au**), 26m below L6 indicating that the shoot continues at depth.
- MMCL also drilled 3 shallow surface holes at Bruno with AX5 intersecting **1.5m @ 13.4 g/t Au** from 27m. They also drilled a hole at Bull but did not intersect any mineralisation.
- Kent drilled 10 diamond holes generally at orientations that would not intersect the reef and only 1 hole intersected mineralisation 0.7m @ 3.7g/t Au from 229m.

Mineralised Shoots

- Four shoots interpreted; **Bull, McVicar, Bruno** and **Loftus-McKay** from trench, u/g sampling and limited drilling.

Alexander River - Siren Gold Exploration 9 Months Post IPO



Work Completed

- Mineralisation and structural mapping over mineralised zone and 1.5kms to the north.
- Extensive soil sample to the NE, NW and SE.
- Channel sampling of the outcropping Loftus-McKay reef.
- 52 Diamond drillholes completed for 6,122.4m.
- Reprocessing of IP - Resistivity survey in progress.

Channel Sampling

- A number of mineralised outcrops found along 250m of strike at Loftus-McKay:
 1. 15.0m @ 7.4g/t Au
 2. 2.0m @ 6.1g/t Au
 3. 2.5m @ 6.4g/t Au
 4. 8.0m @ 4.1g/t Au
 5. 5.0m @ 4.0g/t Au
 6. 2.0m @ 16.0g/t Au


Alexander River - Siren Gold Exploration Post IPO



SIRENGOLD
LIMITED



Alexander River - Siren Gold Exploration Post IPO




Drilling

- Aim to confirm trench results and better define the orientation of Bull, McVicar, Bruno and Loftus McKay shoots.
- Drill tested the 1.2km strike on 100m centres.
- 52 holes for 6,122.4m completed to date.

Mineralised Shoots

- **Bull, McVicar and Bruno** are east dipping shoots confirmed with shallow plunge to the NNE confirmed by drilling.
- The **Bruno** shoot is a small remnant with most of it eroded.
- The **Bull** and **McVicar** shoots are interpreted to be around 75m high separated by 50m of lower grade mineralisation.
- The **Loftus-McKay** and **McVicar West** shoots dip to the west and plunge to the NE. The change from SE to NW dipping reefs is probably fold/ fault controlled.
- The Loftus-McKay and McVicar West shoots are interpreted to be around 200m high and plunge 45° NE.




Bull Shoot

- Bull reef dips moderately to SE with the Bull shoot approximately 75m high but not well defined.
- The outcrop sampled by CRA and returned **4.5m @ 12.9g/t Au**. Drillholes AX20 and AX21 drilled under the outcrop but didn't intersect any mineralisation. Since discovered the reef changes to a NW dip between Pads 1 and 3 so holes drilled into footwall. We are now tracing the NW dipping Bull reef to the SW.
- Limited drilling below the Bull shoot also indicates that its is moderately mineralised with potential for additional shoots below Bull. AX20 and AX21 intersected granite dykes and ground magnetic surveys indicated extensive granite mineralisation to the SW that would mask the surface expression of any deeper shoots.
- No quartz reefs were intersected in AX16 (**8m @ 2.6 g/t Au**), AX18 (**8m @ 2.9g/t Au** and **3m @ 4.1 g/t Au** and AX32 (**5.2m @ 5.3g/t Au**), comprised silicified disseminated acicular arsenopyrite mineralised sandstone.

Alexander River - Siren Gold Exploration Post IPO





SIRENGOLD
LIMITED




McVicar Shoot

- McVicar reef dips steeply to SE with the Bull shoot approximately 75m high based on the underground mine workings.
- Historical production based on a 1-2m thick quartz reef that averaged 26.4 g/t. The disseminated mineralisation seen in trenches and drillholes wasn't mined.
- AX10 (**6.9m @ 7.3 g/t Au**) intersected a stope (mined reef) with a 0.2m reef on the wall that assayed 31g/t. The footwall mineralisation averaged 6.7m @ 6.6g/t Au.
- AX11 was drilled above the stope and intersected **8.5m @ 11.0g/t Au**.
- Both these drill hole intersections are similar to the trench result (**8m @ 7.5g/t Au**).
- The Bull shoot would be below the McVicar shoot off the section.

Alexander River – AXDDH012 Core



Alexander River - Siren Gold Exploration Post IPO



Loftus McKay Shoot

- The Loftus-McKay reef dips steeply to NW and the shoot plunges 45° NE. Based on the shoot outcrop and drillholes intersections it is estimated to be around 200m high.



Channel samples

- 15.0m @ 7.4 g/t Au
- 2.0m @ 6.1 g/t Au
- 2.5m @ 6.4 g/t Au
- 8.0m @ 4.1 g/t Au
- 5.0m @ 4.0 g/t Au
- 2.0m @ 16.0 g/t Au


Drillholes

- AX30 – 1.8m @ 6.7 g/t Au
- AX31 – 2.7m @ 2.5 g/t Au
- AX34 – 3.1m @ 10.9 g/t Au
- AX35 – 2.0m @ 6.1g/t Au
- AX36 – 3.3m @ 7.0 g/t Au
- AX45 – 2.0m @ 26.8 g/t Au
- AX47 – 5.0m @ 8.6 g/t Au
- AX50 – 7.8m @ 4.3 g/t Au.

Alexander River – Loftus McKay Sections




AXDDH034 (3m @ 10.8 g/t Au)




Alexander River – AXDDH045 Core (Loftus McKay)

AXDDH045 (2m @ 26.8 g/t Au)




Alexander River – AXDDH045 Core (Loftus McKay)

Visible Gold in core



Alexander River - Siren Gold Exploration Post IPO




McVicar West Shoot

- The McVicar West reef dips steeply to NW and the shoot is interpreted to plunge 45° NE the same as the Loftus-McKay shoot.
- Mapping by Max Gage in 1942 showed that the east dipping McVicar reef was lost between L5 and L6 and a west dipping reef was mined on Level 6.
- A6-3 drilled from L6 (5.4m @ 5.3g/t Au) was interpreted to intersect the west dipping reef.
- Siren drilled AX49 from surface to twin A6-3 and intersected a 3m thick quartz reef with visible gold results awaited.
- The McVicar West shoot interpreted to extend from L6 in the McVicar mine and plunge parallel to Loftus-McKay shoot.

AXDDH049 (results awaited)



AXDDH055 (results awaited)





Alexander River – AXDDH049 Core (McVicar West)





AX6-3 Core





Alexander River – IP Resistivity Survey




Alexander River – Structural Model



Alexander River – Compared to Fosterville



Exploration Target – 500 to 700koz @ 5-7g/t Au




Bull Shoot		
Drillholes/ Trenches	Meters	Au (g/t)
AX16	8.0	2.6
AX18	8.0	2.9
AX33	5.2	5.3
Trench A	4.5	12.9
Weighted Average	6.4	5.0

Loftus McKay Shoot		
Drillholes/ Trenches	Meters	Au (g/t)
AX30	1.8	6.7
AX31	2.7	2.5
AX34	3.1	10.9
AX35	2.0	6.1
AX36	3.3	7.0
AX45	2.0	26.8
AX47	5.0	8.6
AX50	7.8	4.3
Channel 1	15.0	7.4
Channel 2	2.5	6.4
Channel 3	8.0	4.1
Channel 4	5.0	4.0
Channel 5	2.0	16.0
Weighted Average	4.6	7.1

McVicar West Shoot		
Drillholes/ Trenches	Meters	Au (g/t)
A3-6	5.4	5.3
AX46	2.0	1.9
AX49	4.1	10.6
Weighted Average	3.8	6.6

Exploration Target – 500 to 700koz @ 5-7g/t Au




Shoot	Thickness (m)	Grade (g/t Au)	Shoot Height (m)	Shoot Plunge (m)	Tonnes (Mt)	Ounces (Koz)
Bull	6.4	5.0	75	500	0.6	102
McVicar						
Bruno						
Loftus McKay	4.6	7.1	200	500	1.2	276
McVicar West	3.8	6.6	200	500	1.0	211
Total	4.7	6.5			2.8	589

Shoot	Thickness (m)	Grade (g/t Au)	Shoot Height (m)	Shoot Plunge (m)	Tonnes (Mt)	Ounces (Koz)
Bull	6.4	5.0	75	750	0.9	152
McVicar						
Bruno						
Loftus McKay	4.6	7.1	200	1000	2.4	553
McVicar West	3.8	6.6	200	1000	2.0	423
Total	4.6	6.6			5.3	1,128


Note 1: The potential quantity and grade of this Exploration Target is conceptual in nature as there has been insufficient exploration to estimate a Mineral Resource and it is uncertain if further exploration will result in the estimation of a Mineral Resource.

Alexander River – Compared to Blackwater

Alexander River





Blackwater



Alexander River – Compared to Fosterville


Alexander River

Fosterville



Alexander River – Cross Section of to Fosterville



Fosterville




Big River - Historical production 34.1g/t Au, 136koz

Big River Mine

- Historical Production of **136koz at 34.1g/t Au** (cut off grade ~15g/t Au)
- Mined to 560m from 12 levels.
- Big River closed in 1942 due to WWII.
- Currently drilling **high grade drill targets**.





Big River Mine – Pre IPO






Hole ID	Interval (m)	Grade (g/t)
BR03	2.0	12.0
BR04	20.0	8.1
<i>including</i>	<i>6.6</i>	<i>21.0</i>
BR09	3.0	18.5
BR11	2.5	8.5
BR12	4.0	4.5

Big River Mine –Pre IPO vs Current








Big River Mine – Shoot 4 BRDDH027 (6m @ 5.1g/t Au)



Big River Mine – Shoot 4 BRDDH034 (5.9m @ 4.1g/t Au)




SIRENGOLD
LIMITED



Big River Mine – A2 Shoot






Big River Mine – A2 Shoot



Big River - 3km+ Mineralised Zone / Ultrafine Soil Results



SIRENGOLD
LIMITED






Golden Point – 1.5km+ Long Reef

Golden Point Mine

- Golden Point Exploration permit granted 19 March 2021 (46.2km²).
- Reported to be a 4 foot (1m) thick reef
- Mined 1,357 tonnes in 5 trial batches to recover 410oz at an average grade of 9.4g/t between 1884 – 1908.
- The Morning Star mine lies on the same reef track 1.2km to the south but no production figures.

Year	Quartz crushed (t)	Production (Au oz)	Au Grade (g/t)
1884	2	25	357
1884	1,000	307	9.5
1894	155	44	9.1
1907	100	18	5.6
1908	100	16	5.1
Total	1,357	410	9.4



Lyell - 1.4km long surface soil geochemical anomaly

The Lyell goldfield produced 91koz gold @ 18.4g/t from 21 mines


- The largest Alpine United was mined to a depth of 550m and produced **80,514oz gold @ 17g/t** recovered between 1874 -1911 (Alpine mine at bottom of image)
- Strong Arsenic soil anomaly over 1.4kms and open to the north (Alpine Mine Sth)
- Initial work program focused on mapping, geochemical and geophysical surveys to evaluate drill targets over the 1.4km strike.

Mine	Quartz crushed (t)	Production (oz)	Grade (g/t)
Alpine United	149,024	80,514	17
Lyell Creek	135	450	104
Break of Day	2,180	4,598	66
Croesus	2,773	1,897	21
Tyrconnell	201	1,672	259
United Italy	513	2,219	69
Total	154,826	91,350	18.4





Picture: Nuggets from Lyell tenements (Source: Nelson Weekly <https://nelsonweekly.co.nz/2020/02/gold-digger-unearts-a-gem/>)




- Two nuggets of 3.7oz and 1.2oz recently recovered adjacent to the Lyell tenements.






Buried Targets – How do you find the needle in the haystack?




Buried Targets – Seeing through the cover



Buried Targets – Seeing through the cover



Seismic - is it the key to unlock Buried Targets



Siren Gold Summary

- Large holding in a proven high grade “goldfield”
- Significant drilling over the next two years
- Multiple opportunities for exploration success on key projects
- Huge potential for significant new discoveries

