



# Reefton Goldfield, New Zealand

---

Equipment Expo  
20 April 2021, Greymouth, NZ

Exploration Update – 20 April 2021



# Disclaimer and Forward-looking Statements

These presentation materials dated 20 April 2021 and the accompanying verbal presentation (together, the Presentation Materials) have been prepared by Siren Gold Limited ACN 619 211 826 (Company). By receiving the Presentation Materials, you acknowledge and represent to the Company that you have read, understood and accepted the terms of this disclaimer.

It is the responsibility of all recipients of these Presentation Materials to obtain all necessary approvals to receive these Presentation Materials and receipt of the Presentation Materials will be taken by the Company to constitute a representation and warranty that all relevant approvals have been obtained.

## **NOT AN OFFER**

These Presentation Materials are for information purposes only.

The Presentation Materials do not comprise a prospectus, product disclosure statement or other offering document under Australian law (and will not be lodged with the Australian Securities and Investments Commission) or any other law.

The Presentation Materials also do not constitute or form part of any invitation, offer for sale or subscription or any solicitation for any offer to buy or subscribe for any securities nor shall they or any part of them form the basis of or be relied upon in connection therewith or act as any inducement to enter into any contract or commitment with respect to securities. In particular, these Presentation Materials do not constitute an offer to sell or a solicitation to buy, securities in the United States of America.

## **NOT INVESTMENT ADVICE**

The Presentation Materials are not investment or financial product advice (nor tax, accounting or legal advice) and are not intended to be used for the basis of making an investment decision. Recipients should obtain their own advice before making any investment decision.

## **SUMMARY INFORMATION**

The Presentation Materials do not purport to be all inclusive or to contain all information about the Company or any of the assets, current or future, of the Company. The Presentation Materials contain summary information about the Company and its activities which is current as at the date of the Presentation Materials. The information in the Presentation Materials is of a general nature and does not purport to contain all the information which a prospective investor may require in evaluating a possible investment in the Company or that would be required in a prospectus or product disclosure statement or other offering document prepared in accordance with the requirements of Australian law or the laws of any other jurisdiction, including the United States of America.

The Company does not undertake to provide any additional or updated information whether as a result of new information, future events or results or otherwise.

## **FORWARD LOOKING STATEMENTS**

Certain statements contained in the Presentation Materials, including information as to the future financial or operating performance of the Company and its projects, are forward looking statements. Such forward looking statements:

- are necessarily based upon a number of estimates and assumptions that, while considered reasonable by the Company, are inherently subject to significant technical, business, economic, competitive, political; and social uncertainties and contingencies;
- involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward looking statements; and
- may include, among other things, statements regarding estimates and assumptions in respect of prices, costs, results and capital expenditure, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions.

The Company disclaims any intent or obligation to publicly update any forward looking statements, whether as a result of new information, future events or results or otherwise. The words "believe", "expect", "anticipate", "indicate", "contemplate", "target", "plan", "intends", "continue", "budget", "estimate", "may", "will", "schedule" and similar expressions identify forward looking statements. All forward looking statements contained in the Presentation Materials are qualified by the foregoing cautionary statements. Recipients are cautioned that forward looking statements are not guarantees of future performance and accordingly recipients are cautioned not to put undue reliance on forward looking statements due to the inherent uncertainty therein.

## **NO LIABILITY**

The Company has prepared the Presentation Materials based on information available to it at the time of preparation. No representation or warranty, express or implied, is made as to the fairness, accuracy or completeness of the information, opinions and conclusions contained in the Presentation Materials. To the maximum extent permitted by law, the Company, its related bodies corporate (as that term is defined in the Corporations Act 2001 (Commonwealth of Australia)) and the officers, directors, employees, advisers and agents of those entities do not accept any responsibility or liability including, without limitation, any liability arising from fault or negligence on the part of any person, for any loss arising from the use of the Presentation Materials or its contents or otherwise arising in connection with it.

## **COMPETENT PERSONS STATEMENT**

The information contained in this report relating to exploration results relates to information compiled or reviewed by Mr Paul Angus. Mr Angus is a member of the Australasian Institute of Mining and Metallurgy and is a director of and consultant to the Company. Mr Angus has sufficient experience of relevance to the styles of mineralisation and the types of deposit under consideration, and to the activities undertaken to qualify as Competent Persons as defined in the 2012 edition of the JORC "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Angus consents to the inclusion in the Presentation Materials of the matters based on information in the form and context in which it appears. This presentation contains information extracted from the previously released announcements, including the prospectus dated 5/10/2020, and announcements dated 11/11/2020, 23/12/2020, 12/02/2021 and 19/04/2021. These are available to view on the website, [www.sirengold.com.au](http://www.sirengold.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements.



## FOCUSED ON HIGH GRADE REEF TON GOLDFIELD

~836km<sup>2</sup> tenement  
package & applications  
in a “goldfield” that  
produced + 2Moz gold  
@ ~16g/t from  
84 mines



## PROVEN MINING ADDRESS

Historical production on  
the Siren Gold  
tenements of 268koz @  
>25g/t



## UNDER-EXPLORED & HIGHLY PROSPECTIVE

35km long structural  
corridor with no  
modern exploration




## DRILL READY WITH IMMEDIATE DRILL TARGETS

Big River and  
Alexander River



## IPO Details



- **Listed on ASX October 2020**
- **IPO 40m shares @ A\$0.25c**
- **Raised A\$10m**
- **Board & Management ~ 23%**

### Share Price

ASX Code: SNG

**\$0.415**




SNG Mkt Cap: \$25M  
(20 minute delayed)



# Reefton Goldfield New Zealand



**SIRENGOLD**  
LIMITED




## Outcropping Mineralisation

- Alexander River
- Big River
- Lyell
- Golden Point
- Auld Creek


## Buried Mineralisation

- Reefton South
- Bell Hill
- Waitahu




# Alexander River - 1.2km+ long outcropping quartz reef

Produced 41koz at 26.4g/t Au (cut off ~15g/t Au).



# Trenches define 1.2km long mineralised outcrop averages - 4m @ 8g/t Au



# Alexander River - Stage 1 & 2 Drilling



## Stage 1 Drilling

- Test 1.2km strike at 100m spacing.
- Two holes of each pad to intersect nominally at 25m and 50m below surface.
- Aim to confirm trench results and better define the orientation of Bull, McVicar, Bruno and Loftus McKay shoots.
- Check for disseminated Au mineralisation in the hanging wall and footwall and McVicar mine.
- Complete around 24 shallow holes for around 2,500m.


## Stage 2 Drilling

- Deeper drilling to intersect mineralised shoots 100 - 250m below surface.
- 50m spaced shallow infill holes around to better define the mineralised shoots.

## Progress to Date

- Stage 1 : 30 drillholes for 2,575m
- Stage 2 : Commence this week


# Alexander River – Mineralised Shoots Interpretation



## Current Interpretation

- Bull, McVicar, Bruno and Loftus McKay shoots originally defined by surface trenching have been confirmed by drilling.
- Bull, McVicar and Bruno shoots plunge NE and dip SE.
- Loftus McKay (LM) shoot plunges NNE and dips NW.
- East dipping and West dipping domains with an interpreted boundary between Pad 11 and Level 6 of the McVicar mine.
- We think drillhole A6-3 intersected a west dipping reef and indicates a new McVicar West shoot. The reef was also intersected on Level 6 and mapped by Gage in 1942.
- The LM shoot defined by recent surface sampling and drillholes AX30 & AX31. AX34, AX35 and AX36 has also intersected the shoot.



# Alexander River – Planned Drilling





## Targeted Drilling next few quarters

- Proposed holes shown by the grey dots that can be drilled off the current consented pads.
- A second larger LF70 rig mobilised to target down to 350 - 400m.
- Smaller drill rig will focus on the top end off the Loftus McKay shoot of Pad 28, 29 and 45 and then will move to get more definition on the Bull shoot.
- LF70 will target deeper intersections on the Loftus McKay shoot and the top of the McVicar West shoot.
- Additional pads will be required to test the bottom and NE extensions of both shoots.


# Alexander River – McVicar and Bruno Sections



# Alexander River – Loftus McKay Sections




# Alexander River – AXDDH012 Core



# Alexander River – AXDDH030 & AXDDH035 Core

## AXDDH030





## AXDDH035



# Big River - Historical production 34.1g/t Au, 136koz

## Big River Mine


- Historical Production of **136koz at 34.1g/t Au** (cut off grade ~15g/t Au)
- Mined to 560m from 12 levels.
- Big River closed in 1942 due to WWII.
- Currently drilling **high grade drill targets**.






# Big River Mine - High grade intersections & drilling strategy

## Six Potential Mineralised Shoots

- **Shoots 1 - 4** were historically mined and located around the Sunderland Anticline.
  - **Shoot 1** was mined to Level 4 and is open at depth. BRDDH011 intersected **2.5m @ 8.5g/t Au**
  - **Shoot 2** was mined to Level 6 and is open at depth.
  - **Shoot 3** was mine to Level 12 (600m) and is open at depth.
  - **Shoot 4** was mined to Level 8 and is open at depth. BRDDH03 (**2m @ 12.1g/t Au**), BR04 (**6m @ 21.4 g/t Au**), BR09 (**3m @ 18.5g/t Au**) BR27 (**6m @ 5.1g/t Au**), BR34 (**5.9m @ 4.1g/t**).
- **A2 and Prima Donna shoots** were not mined. Prima Donna described as a “large lode carrying some gold”. A track was developed to the outcrop with a view to prospecting at depth but was discontinued.




# Big River Mine – Shoot 4 BRDDH027






# Big River Mine – A2 Shoot




# Big River Mine - High grade intersections & drilling strategy



# Big River – 3km+ Mineralized Zone

## 3km+ Mineralised Zone

- Extends from St George mine in the south to Big River North.
- **Sunderland Anticline** extends over 3kms, open to the north and south and runs into the Big River mine that produced 136koz at a recovered grade of 34g/t Au. The Sunderland anticline is largely covered by glacial till.
- The Big River reef track runs through St George, Big River South, Golden Hill and to the big River mine. Lies on the west facing limb of the Sunderland Anticline.
- Wacker soil geochemistry completed by OGL showed a strong arsenic anomaly St George to Golden Hill and at Big River mine.
- Siren Gold conducted soil sampling and analysis using the ‘UltraFine’ technique at LabWest (Perth). UltraFine is a method developed by CSIRO and LabWest where the sub-2-micron clay fraction is analysed with the latest microwave digestion techniques and ICP machines, which has low DLs, and gives clearer data trends. The main aim was to see if Au mineralisation could be detected under the glacial till cover.




# Big River – 3km+ Mineralized Zone / Ultrafine Soil Trial



SIRENGOLD  
LIMITED




- Extends from St George mine in the south to Big River North.
- **Sunderland Anticline** extends over 3kms, open to the north and south and runs into the Big River mine that produced 136koz at a recovered grade of 34g/t Au. The Sunderland anticline is largely covered by glacial till.
- The Big River reef track runs through St George, Big River South, Golden Hill and to the big River mine. Lies on the west facing limb of the Sunderland Anticline.
- Wacker soil geochemistry completed by OGL showed a strong arsenic anomaly St George to Golden Hill and at Big River mine.
- Siren Gold conducted soil sampling and analysis using the **'UltraFine'** technique at LabWest (Perth). UltraFine is a method developed by CSIRO and LabWest where the sub-2-micron clay fraction is analysed with the latest microwave digestion techniques and ICP machines, which has low DLs, and gives clearer data trends. The main aim was to see if Au mineralisation could be detected under the glacial till cover.
- **Passive Seismic** was used to estimate the glacial till cover thickness. Cover generally thin 1-3m in the west thickening to 6-18m in the east.



# Big River - 3km+ Mineralized Zone / Ultrafine Soil Results



**SIRENGOLD**  
LIMITED




# Golden Point – 1.5km+ Long Reef

## Golden Point Mine

- Golden Point Exploration permit granted 19 March 2021 (46.2km<sup>2</sup>).
- Reportedly is a 4 foot (1m) thick reef
- Mined 1,357 tonnes in 5 trial batches to recover 410oz at an average grade of 9.4g/t between 1884 – 1908.
- The Morning Star mine lies on the same reef track 1.2km to the south but no production figures.

Year	Quartz crushed (t)	Production (Au oz)	Au Grade (g/t)
1884	2	25	357
1884	1,000	307	9.5
1894	155	44	9.1
1907	100	18	5.6
1908	100	16	5.1
<b>Total</b>	<b>1,357</b>	<b>410</b>	<b>9.4</b>





# Golden Point – 1.5km+ Reef

A 1.2m thick reef averaging **9.4g/t Au**

Terry Young struck a quartz reef 4m below the surface with an excavator in 1990's while alluvial mining up Carton Creek area

Wacker sample in the same spot returned **21g/t Au** 4.5m below the surface.

1m+ thick outcropping Quartz reef




# Lyell - 1.4km long surface soil geochemical anomaly


## The Lyell goldfield produced 91koz gold @ 18.4g/t from 21 mines

- The largest Alpine United was mined to a depth of 550m and produced **80,514oz gold @ 17g/t** recovered between 1874 -1911 (Alpine mine at bottom of image)
- Strong Arsenic soil anomaly over 1.4kms and open to the north (Alpine Mine Sth)
- Initial work program focused on mapping, geochemical and geophysical surveys to evaluate drill targets over the 1.4km strike.

Mine	Quartz crushed (t)	Production (oz)	Grade (g/t)
Alpine United	149,024	80,514	17
Lyell Creek	135	450	104
Break of Day	2,180	4,598	66
Croesus	2,773	1,897	21
Tyrconnell	201	1,672	259
United Italy	513	2,219	69
<b>Total</b>	<b>154,826</b>	<b>91,350</b>	<b>18.4</b>



# Lyell Goldfield - Quartz reef surface & underground exposures




# Buried Targets – How do you find the needle in the haystack

## The Challenge


- Cover includes Cenozoic sediments (including coal measures), glacial till and alluvial gravel.
- Cover thickness from several metres to hundred of metres.
- Rugged topography and covered in vegetation

## The Solution?


- **Passive Seismic** – Relatively cheap and good for defining cover thickness but not basement structure – cover thickness contours.
- **Deep Ground Penetrating Radar (DGPR)** – moderately expensive good for depth of 100-200m. Will define cover thickness and some structure in the basement Faults, shear zones and maybe some folding.
- **Seismic** – Expensive but not depth contained. Will define cover thickness and some of the basement structure.
- **VTEM** - deep penetration, heli-borne so can cover large areas. Used successfully in Canada to find reefs similar to Reefton



# Seismic - Is it the key to unlock Buried Targets



## Siren Gold Summary



- Large holding in a proven high grade “goldfield”
- Significant drilling over the next two years
- Multiple opportunities for exploration success on key projects
- Huge potential for significant new discoveries

